

7616-78

3/26/2013

1/11



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

March 26, 2013

Cristina Griffin  
Agent for KIK Pool Additives Inc.  
c/o Delta Analytical Corp., Suite 160,  
12510 Prosperity Drive, Silver Spring, MD 20904

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

Subject: Shock Power 67  
EPA Reg.#: 7616-78  
Notification Date: February 28, 2013  
Receipt Date: March 1, 2013

Dear Ms. Griffin:

This acknowledges the receipt of your notification, submitted under the provision of PR Notice 98-10 and FIFRA section 3(c)7(a).

**Proposed Notification:**

Minor label changes (addition of graphic and label claims) on the master label and also adding the following Alternate Brand Names for "Shock Power 67" (EPA Reg# 7616-78):

- Aqua Guard 5-Step Pool Care System Super Shock Quick
- Aqua Guard 5-Step Pool Care System Winterizing Kit
- HDX Super Shock 20,000 Gallons
- HDX Super Shock Quick 20

**General Comment:**

Based on the review of the materials submitted, the above noted revised labeling claims and addition of the above noted Alternate Brand Names for "Shock Power 67" product (EPA Reg# 7616-78) are **acceptable**.

This notification and this letter have been inserted in your file for future reference.

If you have further question on this letter, please contact David Liem by email at [liem.david@epa.gov](mailto:liem.david@epa.gov) or call at 703-305-1284.

Sincerely,

A handwritten signature in black ink, appearing to read "Monisha Harris".

Monisha Harris  
Product Manager (32)  
Regulatory Management Branch II  
Antimicrobials Division (7510P)

2/11



United States  
Environmental Protection Agency  
Washington, DC 20460

Registration  
 Amendment  
 Other

OPP Identifier Number  
**NOTIF**

**Application for Pesticide - Section I**

1. Company/Product Number <b>7616-78</b>	2. EPA Product Manager <b>Monisha Harris</b>	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) <b>KIK Pool Additives Inc. / Shock Power 67</b>	PM# <b>32</b>	
5. Name and Address of Applicant (Include ZIP Code) <b>KIK Pool Additives Inc. c/o Delta Analytical Corp. 12510 Prosperity Drive, Suite 160 Silver Spring, MD 20904</b> <i>Check if this is a new address</i>		6. <b>Expedited Review.</b> In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to:  EPA Reg. No. _____ Product Name _____

**Section - II**

Amendment - Explain below  
 Resubmission in response to Agency letter dated \_\_\_\_\_  
 Notification - Explain below.

Final printed labels in response to Agency letter dated \_\_\_\_\_  
 "Me Too" Application.  
 Other - explain below.

**Explanation:** Use additional page(s) if necessary. (For section I and Section II.)

**Notification per PR Notice 98-10 to add claims, make minor label changes, add a graphic and add Alternate Brand Names.**

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

**Section - III**

1. **Material this Product will be Packaged in:**

Child-Resistant Packaging <input type="checkbox"/> Yes* For retail <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify)
* <b>Certification must be submitted.</b>		If "Yes," Unit Package wgt.    No. per container	

3. Location of Net Contents Information  
 Label     Container

4. Size(s) of Retail Container

5. Location of Label Direction  
 On Label or:  
 On Labeling accompanying product

6. Manner In Which Label Is Affixed to Product  
 Lithograph     Paper glued     Stenciled  
 Other: \_\_\_\_\_

**Section - IV**

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

Name <b>Cristina Griffin</b>	Title <b>Agent for KIK Pool Additives Inc.</b>	Telephone No. (Include Area Code) <b>301-680-7571</b>
---------------------------------	---	--

**Certification**

I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any kind of knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

2. Signature 	3. Title <b>Agent for KIK Pool Additives Inc.</b>	6. Date Application Received  <b>(Stamped)</b>
4. Typed Name <b>Cristina Griffin</b>	5. Date <b>February 28, 2013</b>	



4/11

# Shock Power 67

[Adding the following new Alternate Brand Names:]

- Aqua Guard 5-Step Pool Care System Super Shock Quick
- Aqua Guard 5-Step Pool Care System Winterizing Kit
- HDX Super Shock 20,000 Gallons
- HDX Super Shock Quick 20

[Previously approved Alternate Brand Names to be used with kit containing EPA Reg.# 7616-57 and -78:]

- Aqua Guard Swimming Pool Winterizing Kit
- Kem Tek Swimming Pool Winterizing Kit

[Previously approved Alternate Brand Names:]

- Kem-Tek Pool & Spa Care Super Shock Quick 20
- Aqua Guard Super Shock Quick
- Great Value Super Shock Quick
- Kem Tek Shock & Swim
- Kem Tek Super Shock Quick
- Leslie's Swimming Pool Supplies Genesis Shock
- Leslie's Swimming Pool Supplies Genesis Shock Fast Dissolving Trichlor Shock
- Leslie's Swimming Pool Supplies Genesis Shock Fast Dissolving Tri-Chlor Shock for Swimming Pools
- Paddock Super Shock Power
- Pro Side Super Shock Quick
- Pro Side Winterizing Kit
- Swimming Pool Winterizing Kit

**NOTIFICATION**  
 Date Reviewed: 3/26/13  
 Reviewed By: D.Liem

Active Ingredient:

Trichloro-s-triazinetriene.....	67.0%
Other Ingredients .....	33.0%
Total.....	100.0%

[60.3% available chlorine or Available Chlorine – 60.3%]

**KEEP OUT OF REACH OF CHILDREN**

# DANGER

**SEE BACK [SIDE] [TOP] PANEL FOR [FIRST AID STATEMENT AND] OTHER PRECAUTIONS**  
**[or SEE FIRST AID STATEMENT AND ADDITIONAL PRECAUTIONS ON BACK [SIDE] [TOP] PANEL]**  
*[the "See back panel..." may be omitted if all labeling is on the same panel, e.g., the kit box]*

**Net [Wt.]: \_\_\_\_\_**

[The following may appear in any appropriate place on the label:]

Manufactured by [for]:  
 KIK Pool Additives Inc.  
 5160 E. Airport Dr.  
 Ontario, Calif. 91761

[Optional: Following may be included in addition to "Manufactured by [for]" address above: Distributed by [or Sold by] [or Marketed by] [or Marketed Through] *Insert additional company name and address*]

EPA Reg. No. 7616-78  
 EPA Est. Nos.: 7616-CA-01

[Free Pool Care Advice 1-800-SOS-POOL • www.kem-tek.com]

## PRECAUTIONARY STATEMENTS

### Hazards to Humans and Domestic Animals

Danger: CORROSIVE: Causes irreversible eye damage and skin burns. May be fatal if absorbed through the skin. May be fatal if inhaled. Do not breathe dust or spray mist. Irritating to nose and throat. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield, protective clothing and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove contaminated clothing and wash clothing before reuse.

**FIRST AID:** Call a poison control center [(1-800-222-1222)] or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

**If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. **If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. **If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth, if possible. **If swallowed:** Have person sip a glass of water if able to swallow. DO NOT induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

*[First Aid may be in table form]*

*[For containers smaller than 50 pounds use the following:]*

#### Environmental Hazards

This product is toxic to fish and aquatic organisms.

*[In accordance with PR notice 95-1, use the following complete Environmental Hazards statement for containers 50 pounds and larger]*

#### Environmental Hazards

This product is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

### Physical or Chemical Hazard

STRONG OXIDIZING AGENT. WILL BURN WITH THE EVOLUTION OF CHLORINE AND EQUALLY TOXIC GASES. CONTACT WITH WATER SLOWLY LIBERATES IRRITATING AND HAZARDOUS CHLORINE CONTAINING GASES. DECOMPOSES AT 460° F TO 480° F WITH THE LIBERATION OF HARMFUL GASES.

Mix only with water. Use clean, dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter or other chemicals may start a chemical reaction with the generation of heat, liberation of hazardous gases and possible generation of fire or explosion.

IN CASE OF FIRE, if possible, isolate container in open air or well-ventilated area. Flood with a large volume of water. [IN CASE OF] CONTAMINATION [OR DECOMPOSITION: ] do not reseal container.

*[In the text "this product" or alternate brand name may be substituted for Shock Power 67 name]*

*[[Information in brackets] is optional or instructional; italics in brackets indicate instructions not part of labeling.]*



7 | 11

Quick Sanitizer  
 Reduces Chemical Needs  
 Reduces Chlorine Odor  
 Removes Organic [Contaminants] [Waste] [And] [Produces Sparkling Swimming Pool Water]  
 Restores A Crystal Clarity To Pool Water  
 Routine Maintenance Chlorinator  
 Salt System Compatible  
 Shock  
 Shock Treatment [And] Super Chlorinator For Swimming Pools [And] Spas Patented Technology  
 Shocks Water Clear  
 [Simply C] [Smart[er] C] [Step C]  
 Simply Smart[er] [Pool Care] [System]  
 [Special Offer] [Extra] [Bonus] [Buy] [insert #] [Free] [Bag(s)] [Pouch(es)] [of] [product name or type] [Inside]  
 [Included]  
 Stabilized  
 Step [Insert #]  
 Suitable For [Closing Pools] [Opening Pools] [Pool Closing] [Pool Winterization][Use In All Pools]  
 Swim [After Use] [In 15 Minutes<sup>†</sup>] [In Just 15 Minutes After Use<sup>†</sup>]  
 Swimming Pool Water Disinfectant  
 Use For [Closing Pool] [Opening Pool]  
 Use Once [A] [Per] Week  
 UV Protected  
 Value Pack  
 Works Immediately

[location optional:]

\*During Super-Chlorination.

\*\*[reader's note: this double asterisk links to Weekly Use in the Directions for Use]

<sup>†</sup>Pool may be used in 15 minutes after adding this product only when chlorine level is at or below 3 ppm.

[Optional Claims and marketing language continued (previously approved):]

**SHOCK TREATMENT**

Shocking / Super Chlorinating Your Pool Water

Shock the pool when:

- An increased number of swimmers are using the pool.
- Chloramines are present in the water and the chlorine is not effectively working.
- The water is cloudy even though a proper chlorine level is maintained.

Shocking must be done periodically to remove waste materials like suntan oils, perspiration, body oils and other organic waste.

**SHOCK SCHEDULE**

Summer – Once per week

Fall – Twice per month

Spring – Twice per month

Winter – Once per month

**SHOCK POWER 67 Features & Benefits:**

Patented Formula / Dissolves Quickly / Controls Algae and Bacteria\*

The best time to shock is early evenings with the pool circulating system in operation. This way the sun will not reduce the effectiveness of the treatment.

**The SHOCK POWER 67 Advantages:**

[This patented blend of ingredients] [or SHOCK POWER 67] [or This product] works fast allowing swimmers back into the pool in just 15 minutes<sup>†</sup>. This is a premium grade shock product, so it takes only [10 oz.] [or 12.5 oz.] [or 13.5 oz.] [or 1 lb.] of SHOCK POWER 67 to treat 12,000 [to 15,000] [or to 18,750] [or to 20,000] [or to 24,000] gallons of pool water. SHOCK POWER 67 can be added directly into the water without pre-dissolving and it is ideal for all types of swimming pools. It destroys swimmer wastes and other impurities that cause cloudy water. SHOCK POWER 67 dissolves faster than ordinary shock products without leaving residue. It does not increase the pH of the pool water or contain calcium that causes scale build-up.

[In the text "this product" or alternate brand name may be substituted for Shock Power 67 name]

[[Information in brackets] ] is optional or instructional; italics in brackets indicate instructions not part of labeling.]

DO NOT PRE-DISSOLVE [IN CONTAINER (i.e. bucket)] BEFORE APPLYING.

[READ ALL PRECAUTIONARY STATEMENTS BEFORE USE]

Step #1 Balance	Step #2 Chlorinate	Step #3 Shock	Step #4 Algae Care	Step #5 Clarify
--------------------	-----------------------	------------------	-----------------------	--------------------

[The following wording can be used depending on size of package:]




For 10 oz package: TREATS 15,000 GALLONS!

For 12.5 oz package: TREATS 18,750 GALLONS!

For 13.5 oz package [pouch]: TREATS 20,000 GALLONS!

For 1 lb package: TREATS 24,000 GALLONS!

[GRAPHICS]



**▲ NOTICE**

**▲ AVISO**

Children can fall into bucket and drown.  
Keep children away from bucket with even a small amount of liquid.

Los niños pueden caerse a esta cubo y ahogarse.  
No deja que los niños se acerquen a este cubo aunque sólo contenga una pequeña cantidad de líquido.

MAINTAINING YOUR POOL IS AS EASY AS

1 2 3

balance chlorinate shock

3

shock

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

*[Reader's Notes: Use one or more of the following sets of directions. Other appropriate ounces product and corresponding gallons of water treated may be substituted directions below.]*

DAILY USE: [After steps 1 and 2 *[or insert letter or other number]*]. Regularly check chlorine residual with a test kit and chlorinate daily or as needed to maintain 1.0 to 1.5 ppm residual chlorine. NOTE: 2¼ ounces of this compound per 10,000 gallons of pool water will increase an existing chlorine level by 1.0 ppm (¼ rounded measuring cup = 1 oz.)

[\*\*]WEEKLY USE *[or ROUTINE USE]*:

1. Check the pH of the pool water daily, adding sodium bisulfate *[(may insert product name)]* or soda ash *[(may insert product name)]* or equivalent products as necessary to maintain pH in the 7.2-7.6 range.
  2. SHOCK POWER 67 is made up of fine particles that dissolve almost instantly when applied to water. Use the entire bag for each application *[(if applicable)]*. For best results, pour a steady stream of SHOCK POWER 67 into the deep end of the pool or pour *[it]* into the skimmer with the pump operating. Pour near the water surface (particularly if the wind is present while applying) to ensure the entire dose enters the water.
  3. Operate the pump system 4-8 hours (minimum) after applying SHOCK POWER 67.
- [4.] Use 10 oz. of SHOCK POWER 67 to treat 12,000 -15,000 gallons of pool water every week for best results.

SUPER CHLORINATION: Whenever the pool water loses its sparkle, turns green, or the chlorine residual falls rapidly after regular chlorination, super chlorinate the pool. During the summer months, super chlorinate the pool with 1 lb. per 10,000 gallons of pool water every 10 to 14 days. Do not use the pool until the chlorine residual has dropped to 3 ppm.

*[The following directions may be used without other directions on labeling:]*

TO CLOSE POOL FOR WINTER: adjust pH, if necessary, to 7.2 – 7.6. Next, use one (1) pound per 10,000 gallons to shock (superchlorinate) to a chlorine level of 5ppm. For best results, pour a steady stream of SHOCK POWER 67 into the deep end of the pool or pour into the skimmer with the pump operating. Pour near the water surface (particularly if the wind is present while applying) to ensure the entire dose enters the water. Operate the pump system 4-8 hours (minimum) after application. Do not add algacide or apply pool cover until chlorine level drops below 5 ppm.

### STORAGE AND DISPOSAL

STORAGE: Keep product in tightly closed container when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. In case of decomposition, isolate container in open area if possible, and flood with large amounts of water. CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. IF EMPTY: Place in trash *[collection]* or offer for recycling if available. IF PARTLY FILLED: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

[Optional: Kit Label front panel]

10/11

[Brand name AQUA GUARD™ or Kem Tek™ may be used]

[optional]: 5-Step Pool Care System

# SWIMMING POOL WINTERIZING KIT

For Closing Pool for the Winter  
Algaecide – Shock – Metal Out

FREE POOL CARE ADVICE

1-800-SOS-POOL

[this information may be on another panel]

Net Contents:

• \_\_\_ Qts [ or Gal]

[insert ABN for 7616-57]

• \_\_\_ Lbs.

[insert ABN for 7616-78]

• \_\_\_ Gal. **Aqua Guard Metal Out**

[Non-EPA registered product; may substitute name for same product]

KEEP OUT OF REACH OF  
CHILDREN

NO SE DEJE AL ALCANCE DE LOS  
NIÑOS

**DANGER**

See back and side panels and individual  
containers for first aid statements  
and other precautions

[Note: Kit is to include EPA Reg. No. 7616-57 and 7616-78 labels fully visible on outside kit box as well as on the corresponding container inside the box.]

[In the text "this product" or alternate brand name may be substituted for Shock Power 67 name]

[[Information in brackets[ ] is optional or instructional; italics in brackets indicate instructions not part of labeling.]

